


Flexon®

watering done right since 1956



GUARDIAN

WHERE STRENGTH MEETS FLEXIBILITY




800.327.4673 • Fax: 973.824.1208 • flexonhose.com

Flexon.



SCAN HERE FOR FULL PRODUCT INFO



TANGLEGUARD TECHNOLOGY



GUARDIAN

WHERE STRENGTH MEETS FLEXIBILITY

The most innovative watering hose on the market today, the Guardian features TangleGuard Technology which allows the hose to snap back into shape without holding memory. Whether you kink it, tie it or run over it, this hose always provide a constant flow of water. The Guardian features crush proof brass couplings for added durability and a spring collar to reduce kinking at the spigot. This hose is built to last! Choose flexibility, choose strength, choose the Guardian!



MADE IN USA WITH GLOBAL COMPONENTS



LIFETIME GUARANTEE



PREMIUM DURABILITY



AUTOMATIC REALIGNMENT



CRUSH RESISTANT BRASS COUPLINGS



400 PSI BURST STRENGTH

Stock #	I.D.	Length (ft)	UPC: 0-44882
GRDN5850CN	5/8"	50'	10588-0
GRDN58100CN	5/8"	100'	10589-7


SUPREME DUTY

PREMIUM WATERING HOSE

Supreme Duty water hoses are built for tough conditions. This hose features an industrial strength crush proof female coupling which provides a secure leak proof connection to your spigot, a swivel male coupling with kink prevention technology which prevents kinking when uncoiled from male hose end. A reinforced internal spine helps maintain a continuous flow of water if the hose does bend or twist. Great for your jobsites as well as home watering needs.




MADE IN USA WITH GLOBAL COMPONENTS



KINK PREVENTION TECHNOLOGY



INDUSTRIAL STRENGTH CRUSH-PROOF FEMALE COUPLING



REINFORCED INTERNAL SPINE



LIFETIME GUARANTEE

Stock #	I.D.	Length (ft)	UPC: 0-44882
SD5850	5/8"	50'	10473-9
SD58100	5/8"	100'	10472-2

PERFORMANCE HOSES

All-purpose hoses for your home

At first glance, most garden hoses look the same – but look again. Consider your watering project and the length needed to reach your task. A smaller diameter limits flow but its lightweight to carry from your garage to the spigot. If you want to quickly water the flowers select a larger 5/8" diameter hose. Take a closer look to find the garden hose that's perfect for you!

Light Duty

Radial reinforcement
Easy connect couplings
3-year guarantee



Stock #	I.D.	Length (ft)	UPC: 0-44882
FR1225	1/2"	25'	66592-6
FR1250	1/2"	50'	66593-3
FR1275	1/2"	75'	66595-7
FR12100	1/2"	100'	66596-4
FR5825	5/8"	25'	66599-5
FR5850	5/8"	50'	66605-3
FR5875	5/8"	75'	66627-5
FR58100	5/8"	100'	66633-6

Medium

Knitted radial
Guard-n-grip
Crush resistant
4-year guaran

Stock #
FAW5825
FAW5850
FAW5875
FAW58100
FAW58150



Rugged hoses for any profession

Our contractor-grade hoses are flexible, kink-free and effective even in the most rugged conditions including extreme cold temperatures. They feature heavy duty couplings, reinforced jackets and the latest technical materials for maximum performance, reliability and consistent quality.

Contractor Grade

Ideal for commercial use
High burst strength
Crush-proof couplings
All-weather durability
Lifetime guarantee



Stock #	I.D.	Length (ft)	UPC: 0-44882
CG5825	5/8"	25'	44011-0
CG5850	5/8"	50'	44013-4
CG5860	5/8"	60'	44014-1
CG58100	5/8"	100'	44012-7
CX3450*	3/4"	50'	68045-5
CX3475*	3/4"	75'	68046-2
CX34100*	3/4"	100'	68071-4

*CX 3/4" hoses available in red only.

Farm &

Ideal for agric
Contractor gra
Forever flow i
Crush-proof c
Spring hose c
kinking at the
10-year guar

Stock #
FA58100CN
FA58150CN
FA34100CN

FLEXTREME™

The ideal hose that will last for years to come

Flexon continues to innovate quality products with ease-of-use in mind. Flextreme™ hoses are the most ideal for use around the home or jobsite. The synthetic rubber construction offers the same durability and flexibility as the traditional rubber hose without the heavy weight. The abrasive resistant cover is made to withstand any outside climate.

Flextreme™ Professional

Maximum flexibility
Flexible polymer construction
Extreme weather performance (140° F down to -4° F)
Industrial strength brass threaded female coupling
Swivel male coupling
Lifetime guarantee



Stock #	I.D.	Length (ft)	UPC: 0-44882
FLXP5850CN	5/8"	50'	10410-4
FLXP58100CN	5/8"	100'	10411-1

Flextreme™ Perform Rubber

Maximum flex
Synthetic rub
Crush proof b
Stays flexible
temperatures
Available in b
Lifetime guar

Stock #
FLXPR5850
FLXPR58100
FLXPR1250CN
FLXPR1260CN
FLXPR12100CN

Medium Duty

reinforcement
connector*
brass couplings
guarantee



I.D.	Length (ft)	UPC: 0-44882
5/8"	25'	66423-3
5/8"	50'	66437-0
5/8"	75'	66441-7
5/8"	100'	66448-6
5/8"	150'	66449-3

Heavy Duty

Forever-flow construction
Guard-n-grip connector*
Solid crush-proof brass couplings
Lifetime guarantee



Stock #	I.D.	Length (ft)	UPC: 0-44882
FXG5825	5/8"	25'	30501-3
FXG5850	5/8"	50'	30502-0
FXG5875	5/8"	75'	30504-4
FXG58100	5/8"	100'	30506-8

Ranch

cultural purposes
made rubber & vinyl
inner tube
couplings
collar reduces
spigot
guarantee



I.D.	Length (ft)	UPC: 0-44882
5/8"	100'	11124-9
5/8"	150'	10584-2
3/4"	100'	10585-9

Rubber

Ideal for commercial use
Available in black, red and green
High burst strength
Crush-proof couplings
All-weather durability
10-year guarantee



Hot Water Rubber*

Withstands hot water up to 180° F
10-year guarantee

Stock #	I.D.	Length (ft)	UPC: 0-44882
PH5825	5/8"	25'	66485-1
PH5850	5/8"	50'	66486-8
PH5875	5/8"	75'	66487-5
PH58100	5/8"	100'	66489-9
FAR3450*	3/4"	50'	67302-0
FAR34100*	3/4"	100'	66491-2

*FAR 3/4" hoses available in red only.

Flexextreme™ Performance

flexibility
rubber construction
brass couplings
in hot and cold

black and green
guarantee



I.D.	Length (ft)	UPC: 0-44882
5/8"	50'	10412-8
5/8"	100'	10449-4
1/2"	50'	10448-7
1/2"	60'	10450-0
1/2"	100'	10446-3

Flexextreme™ Hot Water Performance Rubber

Withstands hot water up to 165° F
Maximum flexibility
Synthetic rubber construction
Crush proof brass couplings
Stays flexible in hot and cold temperatures
Lifetime guarantee



Stock #	I.D.	Length (ft)	UPC: 0-44882
FLXPR5850R	5/8"	50'	10413-5
FLXPR3450R	3/4"	50'	10447-0

SPECIALTY HOSES

Designed with job-specific uses in mind.



Soaker

Non-clogging porous design
Even soaking action above or below ground
Builds stronger, healthier roots
Environmentally friendly
7-year guarantee

Stock #	Length (ft)	UPC: 0-44882
WS25	25'	51009-7
WS50	50'	30115-2
WS75	75'	30117-6



Flat Soaker

Easily stores flat, reducing storage space
Non-clogging porous design
Even soaking action above or below ground
Builds stronger, healthier roots
Environmentally friendly
7-year guarantee

Stock #	Length (ft)	UPC: 0-44882
WSFLATFAB50CN	50'	11125-6
WSFLATFAB100CN	100'	11126-3



Soaker Kit

For gardening and landscaping
Builds stronger, healthier roots
Even soaking action above or below ground
Includes 20pc. accessory kit*
7-year guarantee

Stock #	I.D.	Length (ft)	UPC: 0-44882
WS100KIT	3/8"	100'	35070-9



3-Tube Sprinkler

3-tube configuration
40' wide spray pattern
White stripes up for sprinkling, down for soaking
Removable cap for added length
7-year guarantee

Stock #	Length (ft)	UPC: 0-44882
FS25	25'	67121-7
FS50	50'	67137-8



H2Zero® Fabric Hose

Nickel-plated couplings
3X stronger than standard 5/8" hoses
30% lighter than standard 5/8" hoses
5-year guarantee

Stock #	Length (ft)	UPC: 0-44882
H2ZERO50CNPT	50'	11181-2
H2ZERO100CNPT	100'	11182-9



Leader Hose

For adding additional length to any watering hose
Ideal for use with hose reels

Stock #	I.D.	Length (ft)	UPC: 0-44882
REM6	5/8"	6'	30034-6
REM10	5/8"	10'	10586-6
REM15	5/8"	15'	30036-0

DRINKING WATER SAFE HOSES

Designed for safe use with potable water.



RV / Marine

Drinking water safe
Ideal for boats and mobile homes
Radial reinforcement
7-year guarantee

Stock #	I.D.	Length (ft)	UPC: 0-44882
FAD1225	1/2"	25'	66909-2
FAD1250	1/2"	50'	66923-8



PureFlo®

BPA, lead and phthalate-free
Drinking water safe, pet friendly
Flexible polymer outer tube
Lifetime guarantee

Stock #	I.D.	Length (ft)	UPC: 0-44882
PF5825	5/8"	25'	10294-0
PF5850	5/8"	50'	10280-3



Featherlite™

Flexible polymer construction
Kink prevention technology
Continuous water flow
Lifetime guarantee

Stock #	I.D.	Length (ft)	UPC: 0-44882
FTHL5825	5/8"	25'	10295-7
FTHL5850	5/8"	50'	10057-1
FTHL58100	5/8"	100'	10065-6

QUALITY, PERFORMANCE, INNOVATION



Swivel Male Coupling

Flexon Industries has been a leader in garden hose manufacturing for nearly 70 years. We have set the standards in quality, performance and reliability, led the industry in product innovation and provided high-quality customer service to distributors, retailers, landscape professionals and consumers.

Our wide selection of hoses will meet every need – from complex professional landscape installations to personal lawns and gardens. Choose from flexible lightweight hoses, heavy-duty professional models, soaker hoses or water-safe specialty hoses.

U.S. BASED MANUFACTURING FOR NEARLY 70 YEARS



Newark, NJ



Anderson, SC

Flexon proudly manufactures in two US-based facilities. This alleviates delays due to overseas manufacturing, shipping issues and high tariffs. We utilize recycled content in our manufacturing which means when you use a Flexon hose, you are not just taking care of your lawn and garden – you are taking care of the environment too.



Div. of U.S. Wire & Cable Corp. • One Flexon Plaza Newark, NJ 07114

